

WEST Search History

DATE: Monday, December 03, 2007

Hide?	Set Name	Query	Hit Count
	<i>DB=PGPB,USPT,EPAB,JPAB,DWPI; PLUR=YES; OP=AND</i>		
<input type="checkbox"/>	L17	defibrillator and pace and heart and implant	1762
<input type="checkbox"/>	L16	heart and jacket and constrain and electrical	159
<input type="checkbox"/>	L15	heart and jacket and constrain and insulate	14
<input type="checkbox"/>	L14	heart and jacket and constrain and "trans-chest"	55
<input type="checkbox"/>	L13	heart and jacket and constrain and defibrillation	89
<input type="checkbox"/>	L12	heart and jacket and constrain and defibrillator	59
<input type="checkbox"/>	L11	heart and jacket and constrain and defibrillate	16
<input type="checkbox"/>	L10	L9 and constrain	86
<input type="checkbox"/>	L9	heart and jacket and electrical\$2 and permeable	389
	<i>DB=PGPB,USPT,EPAB,JPAB,DWPI; PLUR=YES; OP=AND</i>		
<input type="checkbox"/>	L8	heart and jacket and "electrically permeable"	58
	<i>DB=USPT,PGPB,JPAB,EPAB,DWPI; PLUR=YES; OP=AND</i>		
<input type="checkbox"/>	L7	L6 and cardiomyopathy	65
<input type="checkbox"/>	L6	heart and pace and defibrillator and jacket	186
	<i>DB=USPT,JPAB,EPAB,TDBD; PLUR=YES; OP=AND</i>		
<input type="checkbox"/>	L5	L4 and implantable	1313
<input type="checkbox"/>	L4	L3 and surface	1424
<input type="checkbox"/>	L3	heart and pace and defibrillator	2205
<input type="checkbox"/>	L2	L1 and pacing	50
<input type="checkbox"/>	L1	cardiac and jacket and heart and constrain	98

END OF SEARCH HISTORY